

Collection(s)	Tangent
Colour(s)	Charcoal, Ebony, Garnet, Gunmetal, Leaf, Ocean, Peacock, Seafoam, Stone, Tango, Tobacco
Product Type(s)	Upholstery (General Commercial / Heavy Domestic)
Attributes	Halo Easy Care, Oekotex Standard 100
Styles	Plain, Texture, Urban
Composition	82% Polyester 18% Olefin
Pattern Match	No
Pattern Repeat (cm)	Plain
Railroaded	Plain Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).
Width (cm)	140
Roll Size (approx)	50m
Weight (gsm)	285
Origin	Non European
Stain Repellent	No
FIAA Care Label	FIAA Care Label 1 - Pile Fabrics, Velvets & Chenille Wovens
Usage	Upholstery Cushion
Guarantee	3 Years in accordance with our product type and care instructions


Test Results

Martindale (ISO 12947, 12kPA)	20,000 - 40,000 Cycles
Seam Slippage (mm) (ISO 13936-2, Load 180)	Warp 4.0, Weft 5.0
Pilling Resistance (ISO 12945-2)	5
Colourfastness to Light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to Rubbing (ISO 105-X12)	Dry 5, Wet 5
Free and Hydrolysed Formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.3 - 1999 Ignitability (0-20) Spread of Flame (0-10) Heat Involved (0-10) Smoke Developed (0-10)	9 0 2 5
Oekotex Standard 100	11-31643 SHIRLEY
Quality Management System ISO9001	Yes

Rover



Charcoal



Ebony




Garnet



Gunmetal



Leaf



Ocean




Peacock



Seafoam



Stone



Tango



Tobacco

Collection(s)	Ashcroft
Colour(s)	Canary, Cloud, Grass, Gunmetal, Kiwi, Navy, Ocean, Onyx, Orange, Pacific, Pink, Purple, Red, Silver, Teal, Turquoise
Product Type(s)	Upholstery (Heavy Commercial)
Attributes	Halo Easy Care, Encore Recycled, Washable, Oekotex Standard 100
Styles	Plain, Texture, Modern, Industrial
Composition	50% Polyester 50% Recycled Polyester
Pattern Match	No
Pattern Repeat (cm)	Plain
Railroaded	Plain Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).
Width (cm)	144
Roll Size (approx)	50m
Weight (gsm)	295
Origin	Non European
Stain Repellent	No
FIAA Care Label	FIAA Care Label FW - Fixed Cover and Washable Non Pile Fabrics
Usage	Upholstery Cushion Lamp Shade
Guarantee	3 Years in accordance with our product type and care instructions


Test Results

Martindale (ISO 12947, 12kPA)	70,000 Cycles
Seam Slippage (mm) (ISO 13936-2, Load 180)	Warp 2.1, Weft 2.8
Pilling Resistance (ISO 12945-2)	5
Colourfastness to Light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to Rubbing (ISO 105-X12)	Dry 5, Wet 5
Free and Hydrolysed Formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.3 - 1999 Ignitability (0-20) Spread of Flame (0-10) Heat Involved (0-10) Smoke Developed (0-10)	9 0 2 5
Oekotex Standard 100	SHWO 061678 TESTEX

Ashcroft Encore



Canary



Cloud



Grass



Gunmetal




Kiwi




Navy




Ocean



Onyx




Orange



Pacific




Pink




Purple




Red



Silver



Teal




Turquoise

Collection(s)	Gladiator 5 Book, Flemington
Colour(s)	Blush, Coal, Daffodil, Electric, Forest, Grey, Ivory, Midnight, Sand, Seafoam, Stone, Taupe, Terracotta
Product Type(s)	Upholstery (Heavy Commercial)
Attributes	Halo Easy Care, Oekotex Standard 100
Styles	Plain, Urban
Composition	100% Polyester
Pattern Match	No
Pattern Repeat (cm)	Plain
Railroaded	Plain Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).
Width (cm)	145
Roll Size (approx)	50m
Weight (gsm)	230
Origin	Non European
Stain Repellent	No
FIAA Care Label	FIAA Care Label 3 - Non Pile Fabrics
Usage	Upholstery Cushion Lamp Shade
Guarantee	3 Years in accordance with our product type and care instructions


Test Results

Martindale (ISO 12947, 12kPA)	69,000 Cycles
Seam Slippage (mm) (ISO 13936-2, Load 180)	Warp 5.5, Weft 5.4
Pilling Resistance (ISO 12945-2)	5
Colourfastness to Light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to Rubbing (ISO 105-X12)	Dry 5, Wet 5
Free and Hydrolysed Formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.3 - 1999 Ignitability (0-20) Spread of Flame (0-10) Heat Involved (0-10) Smoke Developed (0-10)	12 0 1 5
Oekotex Standard 100	SH015 147778 TESTEX


Flemington




Blush




Coal




Daffodil



Electric




Forest



Grey




Ivory




Midnight



Sand



Seafoam



Stone



Taupe



Terracotta

Collection(s)	Gladiator 4 Book, Hawthorn
Colour(s)	Blush, Charcoal, Denim, Earth, Forest, Manuka, Mink, Mist, Natural, Navy, Olive, Onyx, Pumice, Rosewood, Seafoam, Silver, Sky, Taupe
Product Type(s)	Upholstery (Heavy Commercial)
Attributes	Halo Easy Care, Oekotex Standard 100
Styles	Plain, Texture, Modern, Industrial
Composition	100% Polyester
Pattern Match	No
Pattern Repeat (cm)	Plain
Railroaded	Plain Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).
Width (cm)	144
Roll Size (approx)	40m
Weight (gsm)	260
Origin	Non European
Stain Repellent	No
FIAA Care Label	FIAA Care Label 3 - Non Pile Fabrics
Usage	Upholstery Cushion Lamp Shade
Guarantee	3 Years in accordance with our product type and care instructions

Test Results

Martindale (ISO 12947, 12kPA)	91,000 Cycles
Seam Slippage (mm) (ISO 13936-2, Load 180)	Warp 4.2, Weft 3.5
Pilling Resistance (ISO 12945-2)	5
Colourfastness to Light Xenon arc (ISO 105-B02, blue std 6)	6
Colourfastness to Rubbing (ISO 105-X12)	Dry 5, Wet 5
Free and Hydrolysed Formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.3 - 1999 Ignitability (0-20) Spread of Flame (0-10) Heat Involved (0-10) Smoke Developed (0-10)	11 0 1 4
Oekotex Standard 100	SH015 167378 TESTEX

Hawthorn



Blush



Charcoal



Denim



Earth



Forest




Manuka




Mink




Mist




Natural



Navy




Olive




Onyx




Pumice



Rosewood



Seafoam



Silver



Sky



Taupe

Collection(s)	Lustrell Library, Lustrell Charisma
Colour(s)	Acacia, Amethyst, Army, Ballet, Black, Blush, Breeze, Brick, Buff, Buffalo, Cabernet, Camel, Canvas, Chili, Cloud, Cobalt, Coral, Doeskin, Dove, Earth, Ecru, Elephant, Endive, Ether, Frost, Glacier, Grass, Gunmetal, Ivy, Jungle, Kiwi, Lemon, Lime, Mineral, Mouse, Mustard, Natural, Navy, Nickel, Nougat, Ocean, Olive, Orange, Oyster, Pacific, Parchment, Pecan, Polar, Poppy, Pumice, Rain, Saddle, Sage, Salsa, Scarlet, Seafoam, Silver, Sky, Slate, Smoke, Snow, Sprout, Stone, Sunshine, Tan, Taupe, Teal, Tussock, Walnut
Product Type(s)	Upholstery (Heavy Commercial)
Attributes	HealthGuard, Lustrell
Styles	Plain, Texture
Composition	82% Pvc 18% Polyester
Pattern Match	No
Pattern Repeat (cm)	Plain
Railroaded	Plain Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).
Width (cm)	137
Roll Size (approx)	30m
Weight (gsm)	671
Origin	Non European
Stain Repellent	Healthguar
FIAA Care Label	FIAA Care Label LB - Lustrell Bleach Clean
Usage	Upholstery Cushion
Guarantee	3 Years in accordance with our product type and care instructions

Test Results

Martindale (ISO 12947, 12kPA)	150,000 Cycles
Seam Slippage (mm) (ISO 13936-2, Load 180)	Warp 2.0, Weft 1.9
Pilling Resistance (ISO 12945-2)	-
Colourfastness to Light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to Rubbing (ISO 105-X12)	Dry 5, Wet 4/5
Free and Hydrolysed Formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.3 - 1999 Ignitability (0-20) Spread of Flame (0-10) Heat Involved (0-10) Smoke Developed (0-10)	18 0 0 4
Group Number AS5637.1	4
Quality Management System ISO9001	Yes


Lustrell Charisma




Acacia




Army




Ballet



Black




Blush




Breeze



Brick




Buff



Camel




Canvas




Cobalt




Coral



Doeskin




Earth



Ecru




Endive



Ether



Glacier




Gunmetal



Ivy



Jungle



Mineral




Mouse



Mustard




Natural




Nickel



Nougat




Ocean




Oyster




Pacific



Parchment




Polar



Poppy




Rain




Saddle




Sage




Salsa



Slate




Snow




Sprout




Stone




Tan




Taupe



Teal



Tussock



Walnut